



2016 BOAT INFORMATION GUIDE



EXPERIENCE THE EVOLUTION™
BAYLINER®

TABLE OF CONTENTS

WHO TO CONTACT	2
DIGITAL ASSETS	2
HOW TO USE THIS GUIDE	3
BRAND	4
OPTIONAL FEATURES	6
RUNABOUT SERIES	8
175 Bowrider	9
VR5	12
VR6	15
DECK BOAT SERIES	18
Element	19
Element XL	22
CENTER CONSOLE SERIES	25
CC6	26
OVERNIGHTER SERIES	29
642 Cuddy	30
742 Cuddy	33
842 Cuddy	36
Ciera 8	39
BAYLINER LIMITED WARRANTY	42
BAYLINER LIMITED WARRANTY FOR AUSTRALIA	46
NOTES	50

WHO TO CONTACT

USA/CANADA SALES CONTACTS

Keith Yunger

President
keith.yunger@brunswick.com
Tel (865) 582-2330

Corey Duke

Director of North American Sales
corey.duke@brunswick.com
Tel (865) 582-2237

Mike Mercer

District Business Manager
mike.mercer@brunswick.com
Tel (989) 327-7510

Mark Yarussi

District Business Manager
mark.a.yarussi@brunswick.com
Tel (201) 213-7731

Juan Caropresso

District Business Manager
juan.caropresso@brunswick.com
Tel (678)897-0507

Keisha Bentley

Sales Representative
keisha.bentley@brunswick.com
Tel (865) 582-2167

Kathy Riley

Sales Order Specialist
kathy.riley@brunswick.com
Tel (865) 582-2266
Fax (920) 907-2889

INTERNATIONAL SALES CONTACTS

Alexis Flechier

Director, Sales & Product Portfolio
Planning
alexis.flechier@brunswick.com
Tel +32(0) 87 323 469
Cell +33(0) 6 27 91 60 64
Fax +32(0) 87 323 430
Twitter @AlexisFlechier
Skype Alexis.flechier

Anna Leda

Sales Administration
anna.leda@brunswick.com
Tel +31 205 110 017

Axel Legrix

Regional Sales Manager, EMEA
axel.legrix@brunswick.com
Tel +33(0) 5 46 377 042
Cell +33(0) 686 780 242
Fax +33(0)5 46 37 70 71

Paul Brookshire

International District Business
Manager – Latin American Region
paul.brookshire@brunswick.com
Tel (360) 403-1286
Fax (360) 403-4238

MARKETING CONTACTS

Michael Yobe

Brand Manager
michael.yobe@brunswick.com
Tel (865) 582-2315

TRAINING CONTACT

Chip Speegle

Director of Dealer Development
chip.speegle@brunswick.com
(425) 791-0814

DIGITAL ASSETS

MARKETING RESOURCES

Bayliner's Digital Asset Library provides a host of resources you can utilize to engage your customers with compelling branded content and up-to-date product information. Visit the Digital Asset Library for product spec sheets, digital editions of *Bayliner* magazine, custom eZines and POP materials. marketing.bayliner.com

BAYLINER IMAGE GALLERY


This is Bayliner's easy-to-use online archive of product and lifestyle imagery. The Image Gallery houses three years' worth of product shots, as well as editorial images from the pages of *Bayliner* magazine—all available for download and use for your marketing purposes. bayliner.smugmug.com

BAYLINER ON SOCIAL MEDIA

Bayliner has an ever-growing presence on Facebook, Twitter, YouTube and Pinterest, with more than 80,000 fans on Facebook alone. facebook.com/baylinerboats | instagram.com/baylinerboats | twitter.com/baylinerboats | youtube.com/user/baylinerboating | pinterest.com/baylinerboats

HOW TO USE THIS GUIDE

There are many ways this Product Guide can help you access boat information quickly and efficiently.



① The symbols next to the model name denote regions where the boat is available for sale.

- ① E Europe
- ① NA US/Canada
- ① AP Asia/Pacific
- ① LA Latin America

② These symbols provide at-a-glance info about the boat.

- ② Sun Well-suited for day trips
- ② LIFE TIME Transferable limited lifetime structural hull warranty
- ② Trailer Trailerable
- ② Sports Suitable for watersports
- ② Fishing Suitable for fishing
- ② 12 Maximum person capacity with standard seating per USCG, ABYC™ or other applicable standards.

③ Specific features are highlighted on the floorplan with letters and numbers. Letters (A) identify feature locations, while numbers (1) identify storage areas.

④ This model name refers to the boat featured on the corresponding spread. Use it to quickly flip to a specific Bayliner model.

WHAT IS BAYLINER ALL ABOUT?



BRAND

AFFORDABLE

Bayliner is the value leader in recreational boating.

Benefits:

- Easy to purchase
- Feature/price balance

POPULAR

Bayliner has put more families on the water than any other recreational boat company.

Benefits:

- Peace of mind
- Enhanced resale value

INTUITIVE

Bayliner designs its product to keep pace with the ever-evolving boating consumer.

Benefits:

- Ease of use
- Multi use

SATISFIED

Family and Friends tested, Owner approved.

Benefits:

- Multi year CSI Award Recipient
- Industry leading warranty coverage



PRODUCT

RUNABOUTS

Proven

Leading runabout brand for nearly 60 years

Stylish

Visually appealing and well-appointed

Value

More boat for your money: Interior Space, Storage & Amenities

DECK BOATS

Versatile

Configurations allowing you to cruise, cove, enjoy tow sports or fish

Spacious

Capacity for passengers, gear and overall enjoyment

Value

More boat for your money: Interior Space, Storage & Amenities

CENTER CONSOLES

Stable

The patent-pending M-Hull™ provides exceptional lateral stability and less bow rise vs a traditional V-hull design

Easy

Easy to operate, launch/retrieve, trailer, and maintain

Versatile

A very fishable platform that can also be used to enjoy tow sports and cruising

Affordable

Priced for mass appeal

OVERNIGHTERS

Roomy

Ample cockpit space for day boating and cabin space to enjoy overnighting

Modern

Creative styling, floor plans and features

Value

More boat for your money: Interior Space, Storage & Amenities

DEALER PROFESSIONAL

Nurture a reputation in your community as good people to do business with.

Focus:

- Facility is clean, inviting and fully featured
- Staff is courteous, knowledgeable and attentive

VISIBLE

Foster community connection through all walks of life to grow your business, your people and your customer base.

Focus:

- Digitally-proficient
- Promotionally-driven
- Event-minded

CUSTOMER EXPERIENCE

Provide a total care approach from prospect to repeat customer.

Focus:

- Appropriate product selection
- F & I services
- P & A to accessorize and maintain boat
- Provide thorough, fair and timely service

PEOPLE WINNING ATTITUDE

A mindset that going above and beyond is standard operating procedure.

Attributes:

- Positive attitude
- Can-do approach

RELATIONSHIP

We believe in communication - the human connection

Attributes:

- Ability to build rapport
- Humble & empathetic

PROFESSIONALISM

Conduct yourself according to The Golden Rule: Treat others the way you would like to be treated.

Attributes:

- Courteous
- Respectful

CUSTOMER SERVICE

Respect for the customer balanced with an attitude of fairness that nurtures our mutual business relationship.

Attributes:

- Listen
- Follow up & through

OPTIONAL FEATURES

Bayliner offers a wide variety of optional parts and accessories for each model boat. Some are available as an option with the boat at the time of manufacture, others are available at a later date through our Parts Department. Our Parts Department also exclusively offers specialized options for several models. A list of the available options is provided by model in this handbook.

Dealers can order Parts & Accessories through COMPASS > Parts > Orders.

If you have any questions/comments regarding optional accessories please contact our **Customer Service department at (360) 435-8957** or through the toll-free parts and service line we have established for your territory.

RUNABOUT OPTIONS



Bimini Top




Bow Filler Cushions



Bow Well and Cockpit Cover



Cockpit Table



Ski Pylon (Outboard Models Only)



Xtreme Tower

ELEMENT OPTIONS



Additional 22 I (6 gal) Fuel Tank



Bow Filler Cushions



Aft Filler Cushions



Waterproof AM/FM/MP3-Ready Stereo



Folding Sport Arch



Wakeboard Racks

OVERNIGHTER OPTIONS



Airy Cabins



Windless Electric Anchor



Cockpit Galley w/ Sink & Stove



Foredeck Sunpad



Teak Cockpit Table



Head

OPTIONAL FEATURES

RUNABOUTS



PROVEN

Leading runabout brand for nearly 60 years

STYLISH

Visually appealing and well-appointed

VALUE

More boat for your money: Interior Space, Storage & Amenities

175 BOWRIDER




LAYOUT VIEW

Features

- A** Full-width swim platform w/ladder
- B** Aft jump seats
- C** Bucket seat
- D** Sleeper seats
- E** Walk-through windshield

Storage Areas

- ① Under starboard aft seat bottom
- ② Hull sides
- ③ In-floor ski locker
- ④ Lockable small item tray
- ⑤ Behind bow well seat backs
- ⑥ Under bow well seats



175 BOWRIDER

SPECIFICATIONS

	US	CE
Length overall (LOA)	17'6"	5.33 m
Beam	6'11"	2.11 m
Deadrise	19°	19°
Approx weight w/standard engine	1,923 lbs	872 kg
Approx weight w/trailer	2,396 lbs	1,087 kg
Draft max	3'0"	.91 m
Fuel capacity	21 gal	79.5 L
Max people capacity	7	6
Max people weight	885 lbs	450 kg

Storage Dimensions

Storage length ¹	19'8.5"	6.01 m
Storage length w/swim platform option	20'8.25"	6.31 m
Beam on trailer	7'11"	2.41m
Height on trailer ²	5'8.5"	1.74 m

Specification dimensions are approximations and subject to variance.

¹ Stern drive in down position & trailer tongue swung to side.

² Tongue jack lowered all the way down.

ENGINE PERFORMANCE DATA

135 HP MerCruiser (3.0L) TKS (Std)

Cruise mph	24.3
WOT mph	41.2
Propeller	19 Black Max
Range	83 nm
Weight as tested	2,796 lbs
Engine Availability	USA, Canada, International

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, four passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cockpit

- Aft Jump Seats (2)
- Beverage Holders
- Grab Handles
- Helm Bucket Seat
- In-Floor Ski/Wakeboard Storage
- Molded Fiberglass Engine Cover with Hinged Gas Strut
- Port Sleeper Seat/Sunlounge

Engine

- 135 HP MerCruiser (3.0L) MPI A1 WPS ECT

Engine Compartment

- 12V Blower
- 500-gph Bilge Pump

Helm

- 12V Horn
- 3-in-1 Speedometer, Volt & Fuel, and Tachometer
- Padded Steering Wheel & Tilt Steering
- Rack & Pinion Power Steering
- Side-Mounted Engine Controls w/Trim & Tilt Switch in Handle

Hull and Deck

- 12V Navigation Lights
- Bow & Transom Eyes (3)
- Fuel Fill w/Integrated Vent
- Integral Transom Platform w/Ladder
- Stainless Steel Cleats (4)
- Stainless Steel Tow Ring
- Vinyl Gunwale Molding
- Wraparound Windshield w/Safety Glass & Opening Center Section

OPTIONS

Color Selection

- Solid: White Hull
- Two-Tone: White Hull w/Blue, Black, Grey, Red or Taupe Hullside

Graphic Options

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Stainless Steel Package

- Stainless Steel Trim Upgrades (Fuel Fill, Thru Hulls, Horn Vent, Rub Rail)

Water Sports Options

- Black MTK Tower w/Integrated Bimini

Seating & Upholstery

- Sport Seating w/Aft Sunlounge & 2 Bucket Seats (Require Fiberglass Liner Option)
- Helm Bucket Seat Upgrade (Avl. on Sport Seating)

Canvas Options

- Bimini Top w/Boot
- Bow Well & Cockpit Cover
- Convertible Top w/Side & Aft Curtains

Sound System

- Stereo AM/FM - MP3 Player Ready

Flooring Covering Options

- Cockpit Carpet Runners
- Fiberglass Liner

Swim Platform Options

- Swim Platform Extension

Additional Options

- Digital Depth Indicator
- Bow Filler Cushion

VR5



E NA AP LA




LAYOUT VIEW

Features

- A** Oversized bow area
- B** Walk-thru windshield
- C** Ergonomic helm
- D** Multi-position companion seat
- E** L-Lounge
- F** Self-bailing cockpit
- G** Sunpad w/backrest
- H** Swim platform

Storage Areas

- 1** Bow storage (3 spots)
- 2** In-floor storage (ski)
- 3** Under-seat storage (3 spots)
- 4** Helm storage
- 5** Wet storage



SPECIFICATIONS

	US	CE
Length overall (LOA)	20'4"	6.23 m
Hull Length	18'23"	5.57 m
Beam	8'0"	2.40 m
Deadrise	20°	20°
Approx weight w/standard engine	2,895 lbs	1,313 kg
Approx weight w/trailer	3,619 lbs	1,642 kg
Draft max	36"	.91 m
Fuel capacity	33 gal	132 L
Max people capacity	8	8
Max people weight	1790 lbs	808 kg

Storage Dimensions

Storage length ¹	21'2"	6.45 m
Beam on trailer	8'8"	2.64 m
Height on trailer ²	8'	2.44 m

Specification dimensions are approximations and subject to variance.

¹ Stern drive in down position & trailer tongue swung to side.

² Tongue jack lowered all the way down.

ENGINE PERFORMANCE DATA

200 HP MerCruiser (4.5L) MPI A1 ECT (Std)

Cruise mph	34.2
WOT mph	47
Propeller	21 P Black Max
Range	109 nm
Weight as tested	4,028 lbs

180 HP MerCruiser (4.3L) MPI A1

DATA NOT YET AVAILABLE

135 HP MerCruiser (3.0L) MPI A1 TKS

DATA NOT YET AVAILABLE

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

VR5

STANDARD FEATURES

Cockpit

- Beverage Holders (6)
- Bow Seating
- Fuel Fill w/Integrated Vent
- Grab Handles (6)
- Helm Bucket Seat - Swivels 180°
- In-Floor Ski/Wakeboard Storage
- Lockable Glove Box - Port
- Waterproof 120-watt AM/FM Stereo/Controller w/Inputs for iPod & Mp3

Electrical Systems

- Battery switch

Engine

- 200 HP MerCruiser (4.5L) MPI A1 ECT

Engine Compartment

- 12V Blower
- Bilge Pump

Helm

- 12V Accessory Outlet
- 12V Horn
- Instrumentation: Speedometer, Volt, Fuel, Tachometer, Trim Gauge
- Padded Steering Wheel
- Rack & Pinion Power Steering
- Side-Mounted Engine Controls w/Trim & Tilt Switch in Handle
- Tilt Steering

Hull and Deck

- 12V Navigation Lights
- Bow and Transom Eyes (3)
- Non-skid fiberglass floor
- Integral Transom Platform w/Ladder
- Mooring Cleats (6)
- Safety Handholds
- Stainless Steel Tow Ring
- Vinyl Gunwale Molding
- Windshield w/Opening Center & Side Wings

OPTIONS

Color Selection

- Solid: White Hull
- Two-Tone: White Hull w/Blue, Black, Grey, Red or Taupe Hullside

Graphic Options

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Engine Options

- 135 HP MerCruiser (3.0L) TKS A1 WPS
- 180 HP MerCruiser (4.3L) MPI A1 WPS

Stainless Steel Package

- Stainless Steel Trim Upgrades (Cup Holders, Fuel Fill, Thru Hulls, Horn Vent, Rub Rail)

Water Sport Options

- Xtreme Tower w/Integrated Top

Seating & Upholstery

- Bow Filler Cushion & Removable Filler Back Rest Board
- Helm Bucket w Barrel Back Bolster

Windshield Options

- Wraparound Windshield (No Side Wings) w/Safety Glass & Opening Center Section

Canvas Options

- Bimini Top w/Boot
- Convertible Top w/Side & Aft Curtains

Floor Covering Options

- Cockpit Flooring Teak Mat

Entertaining Options

- Cockpit Table

Swim Platform Options

- Swim Platform Teak Mat

Additional Options

- Digital Depth Indicator
- Preferred Pack (Bow Well & Cockpit Cover; Removable Sisal Design/Urethan Basketweave Carpet Runners)

VR6



E

NA

AP

LA



9


LAYOUT VIEW

Features

- A** Oversized bow area
- B** Walk-thru windshield
- C** Ergonomic helm
- D** Enclosed changing room/head
- E** Multi-position companion seat
- F** L-lounge
- G** Self-bailing cockpit
- H** Observer seat/U-lounge
- I** Sunpad w/ backrest
- J** Swim platform

Storage Areas

- 1** Bow storage (3 spots)
- 2** In-floor storage (ski)
- 3** Under-seat storage (3 spots)
- 4** Helm Storage (2 spots)
- 5** Wet storage



VR6

SPECIFICATIONS

	US	CE
Length overall (LOA)	22'4"	6.82 m
Hull Length	20'21"	6.16 m
Beam	8'0"	2.45 m
Deadrise	20°	20°
Approx weight w/standard engine	3,797 lbs	1,722 kg
Approx weight w/trailer	5,497 lbs	2,493 kg
Draft max	35.5"	.90 m
Fuel capacity	33 gal	132 L
Max people capacity	10	9
Max people weight	1850 lbs	838 kg

Storage Dimensions

Storage length ¹	23'2"	7.06 m
Beam on trailer	8'4"	2.54 m
Height on trailer ²	7'	2.13 m

Specification dimensions are approximations and subject to variance.

¹ Stern drive in down position & swung to side and trailer tongue swung to side.

² Tongue jack lowered all the way down.

ENGINE PERFORMANCE DATA

200 HP MerCruiser (4.5L) MPI A1 ECT (Std)

Cruise mph	32.8
WOT mph	45.8
Propeller	19 p Black Max
Range	104.3 nm
Weight as tested	4,430lbs

250 HP MerCruiser (4.5L) MPI A1 ECT

Cruise mph	32.3
WOT mph	49.9
Propeller	17 p Enertia
Range	102.9 nm
Weight as tested	4,430 lbs

180 HP MerCruiser (4.3L) MPI A1

DATA NOT YET AVAILABLE

220 HP MerCruiser (4.3L) MPI A1 ECT

DATA NOT YET AVAILABLE

250 HP MerCruiser (4.5L) MPI B3 ECT

DATA NOT YET AVAILABLE

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cockpit

- Beverage Holders (6)
- Bow Seating
- Fuel Fill w/Integrated Vent
- Grab Handles (6)
- Helm Bucket Seat - Swivels 180°
- In-Floor Ski/Wakeboard Storage
- Lockable Glove Box - Port
- Waterproof 120-watt AM/FM Stereo/Controller w/Inputs for iPod & Mp3

Electrical Systems

- Battery switch

Engine

- 200 HP MerCruiser (4.5L) MPI A1 ECT

Engine Compartment

- 12V Blower
- Bilge Pump

Helm

- 12V Accessory Outlet
- 12V Horn
- Instrumentation: Speedometer, Volt, Fuel, Tachometer, Trim Gauge
- Padded Steering Wheel
- Rack & Pinion Power Steering
- Side-Mounted Engine Controls w/Trim & Tilt Switch in Handle
- Tilt Steering

Hull and Deck

- 12V Navigation Lights
- Bow and Transom Eyes (3)
- Non-skid fiberglass floor
- Integral Transom Platform w/Ladder
- Mooring Cleats (6)
- Safety Handholds
- Stainless Steel Tow Ring
- Vinyl Gunwale Molding
- Windshield w/ Opening Center & Side Wings

OPTIONS

Color Selection

- Solid: White Hull
- Two-Tone: White Hull w/Blue, Black, Grey, Red or Taupe Hullside

Graphic Options

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Engine Options

- 135 HP MerCruiser (3.0L) TKS A1 WPS
- 180 HP MerCruiser (4.3L) MPI A1 WPS

Stainless Steel Package

- Stainless Steel Trim Upgrades (Cup Holders, Fuel Fill, Thru Hulls, Horn Vent, Rub Rail)

Water Sport Options

- Xtreme Tower w/ Integrated Top

Seating & Upholstery

- Bow Filler Cushion & Removable Filler Backrest Board
- Helm Bucket w/Barrel Back Bolster

Windshield Options

- Wraparound Windshield (No Side Wings) w/Safety Glass & Opening Center Section

Canvas Options

- Bimini Top w/Boot
- Convertible Top w/Side & Aft Curtains

Floor Covering Options

- Cockpit Flooring Teak Mat

Entertaining Options

- Cockpit Table

Swim Platform Options

- Swim Platform Teak Mat

Additional Options

- Digital Depth Indicator
- Preferred Pack (Bow Well & Cockpit Cover; Removable Sisal Design/Urethan Basketweave Carpet Runners)

DECK BOATS



VERSATILE

Configurations allowing you to cruise, cove, enjoy tow sports or fish

SPACIOUS

Capacity for passengers, gear and overall enjoyment

VALUE

More boat for your money: Interior Space, Storage & Amenities

ELEMENT



E

NA

AP

LA



6


LAYOUT VIEW

Features

- A** Dual swim platforms w/ angled ladder starboard
- B** Rear sunpad
- C** Auto-style helm
- D** Large bow seating area

Storage Areas

- ①** Sunpad
- ②** Cockpit seats
- ③** Bow cushions



ELEMENT

SPECIFICATIONS

	US	CE
Length overall (LOA)	16'2"	4.93 m
Beam	7'5"	2.22 m
Deadrise	N/A	N/A
Approx weight w/standard engine	1,570 lbs	712 kg
Approx weight w/trailer	2,145 lbs	1,528 kg
Draft max	12"	.30 m
Fuel capacity	12 gal	45.4 L
Max people capacity	6	5
Max people weight	850 lbs	375 kg

Storage Dimensions

Storage length*	19'6"	5.94 m
Beam on trailer	8'6"	2.59 m

Specification dimensions are approximations and subject to variance.

* Outboard in down position & swung to side and trailer tongue swung to side.

ENGINE PERFORMANCE DATA

60 HP Mercury 4-Stroke (Std)

DATA NOT YET AVAILABLE

60 HP Mercury 4-Stroke Command Thrust

Cruise mph	18.5
WOT mph	30.7
Propeller	13 P Black Max
Range	75 nm
Weight as tested	2,224 lbs

80 HP Mercury 4-Stroke

Cruise mph	20.7
WOT mph	39.12
Propeller	13 P Black Max
Range	75 nm
Weight as tested	2,583 lbs (1172kg)

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cockpit

- (5) Beverage Holders
- Aft Sun Pad with Underseat Storage
- Opposing Port Side Seating
- Simple Yet Comfortable Cockpit and Bow Seats

Engine Compartment

- 500 gph Bilge Pump

Helm

- Clutter Free Helm Station with 7" Dual Purpose Gauge
- Padded Steering Wheel
- Side-Mounted Engine Controls w/Trim & Tilt Switch in Handle

Hull and Deck

- Arctic White Hull & Deck w/Black Hull Stripe
- Automotive Style Ride and Handling
- Bow & Transom Eyes
- Integral Transom Platforms w/Ladder
- Molded Stern Seating
- Mooring Cleats (4)
- Patent Pending M-Hull™ Design
- Safety Handholds

OPTIONS

Color Selection

- Basic: White Hull w/Red, Blue or Black Hullside

Graphic Options

- Hydro

Engine

- 60 HP ELPT CT 4-STK EFI Mercury 20" Desmo EZ
- 80 HP EFI Mercury 4 Stroke Outboard

Water Sport Options

- Sport Pack: Sport Tower, Wakeboard Rack, Cooler, Bow & Aft Filler Cushions

Seating & Upholstery

- Bow Filler Cushion
- Aft Filler Cushion

Canvas Options

- Bimini Top w/Boot
- Mooring Cover

Sound System

- Stereo AM/FM - MP3 Player Ready

Entertaining Options

- Mid Cockpit Table
- Cooler Option (25 Quart, Below Aft Sunpad)

Additional Options

- Digital Depth Indicator
- Special Edition Green Pack: Green Hull Side, Specific Hull Graphics & White Upholstery
- Union Jack Pack: Wakeboard Tower, Wakeboard Rack, White Hull w/Union Jack Hull Decal, Upholstery w/Union Jack embroidered, Stainless Steel Gunwale, Cupholders & Grabrails

ELEMENT XL



E

NA

AP

LA



LIFE
TIME



9

LAYOUT VIEW

Features

- A** Dual swim platforms w/angled ladder starboard
- B** Auto-style helm
- C** Large bow seating area

Storage Areas

- 1** Sunpad
- 2** Cockpit seats
- 3** Bow cushions



SPECIFICATIONS

	US	CE
Length overall (LOA)	18'2"	6.01 m
Hull Length		5.49 m
Beam	7'5"	2.22 m
Deadrise	N/A	N/A
Approx weight w/standard engine	2,000 lbs	907 kg
Approx weight w/trailer	2,750 lbs	1,528 kg
Draft max	16"	.41 m
Fuel capacity	12 gal	45.42 L
Max people capacity	9	8
Max people weight	1,277 lbs	600 kg

Storage Dimensions

Storage length*	21'10"	5.94 m
Beam on trailer	8'6"	2.59 m

Specification dimensions are approximations and subject to variance.

* Outboard in down position & swung to side and trailer tongue swung to side.

ENGINE PERFORMANCE DATA

80 HP Mercury 4-Stroke

DATA NOT YET AVAILABLE

100 HP Mercury 4-Stroke

DATA NOT YET AVAILABLE

115 HP Mercury 4-Stroke

Cruise mph	24.7
WOT mph	39.0
Propeller	17 P Black Max
Range	99 nm
Weight as tested	2,650 lbs

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

ELEMENT XL

STANDARD FEATURES

Cockpit

- Beverage Holders (7)
- Dual Purpose Lounger with Aft Facing or Opposing Seats
- Opposing Portside Seating
- Simple Yet Comfortable Cockpit and Bow Seats

Engine Compartment

- 500 gph Bilge Pump

Helm

- Clutter Free Helm Station with 7" Dual Purpose Gauge
- Padded Steering Wheel
- Side-Mounted Engine Controls w/Trim & Tilt Switch in Handle

Hull and Deck

- Arctic White Hull & Deck w/Black Hull Stripe
- Automotive Style Ride and Handling
- Bow & Transom Eyes
- Integral Transom Platforms w/Ladder
- Molded Stern Seating
- Mooring Cleats (6)
- Patent Pending M-Hull™ Design
- Safety Handholds

OPTIONS

Color Selection

- Basic: White Hull w/Red, Blue or Black Hullside

Graphic Options

- Hydro

Engine

- 80 HP 4-stroke EFI, Mercury O/B
- 100 HP 4-stroke EFI, Mercury O/B
- 115 HP 4-Stroke EFI, Mercury O/B T&T

Water Sport Options

- Sport Pack: Sport Tower, Wakeboard Rack, Cooler, Bow & Aft Filler Cushions

Seating & Upholstery

- Bow Filler Cushion
- Aft Filler Cushion

Canvas Options

- Bimini Top w/Boot
- Mooring Cover

Sound System

- Stereo AM/FM - MP3 Player Ready

Entertaining Options

- Mid Cockpit Table
- Aft Cockpit Table
- Cooler Option (25 Quart, Below Aft Sunpad)

Additional Options

- Digital Depth Indicator
- Special Edition Green Pack: Green Hull Side, Specific Hull Graphics & White Upholstery
- Union Jack Pack: Wakeboard Tower, Wakeboard Rack, White Hull w/Union Jack Hull Decal, Upholstery w/Union Jack embroidered, Stainless Steel Gunwale, Cupholders & Grabrails
- Plexy port& starboard windshield with port storage door
- Additional 22 l (6 gal) fuel tank
- Coolbox
- Stainless steel deck rails

CENTER CONSOLES



STABLE

The patent-pending M-Hull™ provides exceptional lateral stability and less bow rise vs a traditional V-hull design

EASY

Easy to operate, launch/retrieve, trailer, and maintain


VERSATILE

A very fishable platform that can also be used to enjoy tow sports and cruising

AFFORDABLE

Priced for mass appeal

ELEMENT CC5



E



9


LAYOUT VIEW

Features

- A** Bow casting deck
- B** Trolling motor pad
- C** Bow pedestal seat
- D** Helm console w/ storage
- E** Rear casting deck
- F** Livewell

Storage Areas

- 1** Anchor locker
- 2** Bow storage
- 3** Helm storage (2 spots)
- 4** Stern storage (2 spots)
- 5** Rod storage (2 spots)



SPECIFICATIONS

	US	CE
Length overall (LOA)	16'2"	4.93 m
Beam	7'5"	2.13 m
Deadrise	N/A	N/A
Approx weight w/standard engine	TBD	TBD
Approx weight w/trailer	TBD	TBD
Hull draft	12"	.30 m
Fuel capacity	18 gal	68.1 L
Max people capacity	TBD	TBD
Max people weight	TBD	TBD

Storage Dimensions

Storage length*	19'6"	5.94 m
Beam on trailer	8'6"	2.59 m

Specification dimensions are approximations and subject to variance.

ENGINE PERFORMANCE DATA

60 HP Mercury 4-Stroke (Std)

DATA NOT YET AVAILABLE

60 HP Mercury 4-Stroke Command Thrust

Cruise mph	18.5
WOT mph	30.7
Propeller	13 P Black Max
Range	75 nm
Weight as tested	2,224 lbs

80 HP Mercury 4-Stroke

Cruise mph	21.3
WOT mph	33.7
Propeller	16 P Black Max
Range	71 nm
Weight as tested	2,549 lbs

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

ELEMENT CC5

STANDARD FEATURES

Cockpit

- Self-Bailing Cockpit
- Bow Anchor Locker and Storage Compartments
- Leaning Post
- Aft Non-Skid Casting Platform w/ Center Livewell
- Forward Facing Jump Seats w/ Storage Beneath

Engine

- BLANK (no engine) — Mercury pre-rigged

Engine Compartment

- 500-gph Bilge Pump
- 18 Gallon Built-In Fuel Tank

Helm

- Center Console w/Storage for 6 Rods and a Large Storage Compartment
- Navigation Ready Helm Station w/ Stainless Steel Steering Wheel
- Binnacle Mounted Engine Controls w/ Trim & Tilt Switch in Handle

Hull and Deck

- Patent Pending M-Hull™ Design
- Arctic White Hull & Deck w/ CC5 Badging
- Automotive Style Ride and Handling
- Bow & Transom Eyes
- Large Non-Skid Bow Casting Platform w/Pre-Wired Trolling Motor Landing
- Mooring Cleats (6)
- Safety Handholds
- Port & Starboard Swim Boards w/ Ladder

OPTIONS

Color Selection

- Solid Hull: Hullside in White or Ashland Yellow

Engine

- BLANK (no engine) — Mercury pre-rigged
- 60 HP Mercury 4-Stroke Command Thrust
- 80 HP Mercury 4-Stroke

Packages

- Stainless Steel Upgrade Package
- F5 Fish Package (Includes: Aft Livewell, Freeboard Nests W/Rod Holders. 6 Console Rod Holders, Bow Fishing Seat, Motorguide Trolling Motor)

Water Sport Options

- Folding Sport Arch
- Wakeboard Rack (Single or Pair)

Seating & Upholstery

- Full Filler Cushion (Includes Deck Rails)

Canvas Options

- Bimini Top w/ Boot
- Console Cover

Sound System

- Stereo AM/FM - MP3 Player Ready

Additional Options

- Digital Depth Indicator
- Cockpit Table
- T-Top
- Hydraulic Steering

ELEMENT CC6



E



LIFE
TIME



6

LAYOUT VIEW

Features

- A** Bow sun deck
- B** Helm console
- C** Under-seat cooler
- D** Rear jump seats

Storage Areas

- 1** Anchor locker
- 2** Bow storage
- 3** Helm storage (2 spots)
- 4** Stern storage (2 spots)



ELEMENT CC6

ELEMENT CC6

SPECIFICATIONS

	US	CE
Length overall (LOA)	18'2"	6.01 m
Hull Length		5.49 m
Beam	7'5"	2.20 m
Deadrise	N/A	N/A
Approx weight w/standard engine	2,000 lbs	907 kg
Approx weight w/trailer	TBD	TBD
Draft max	12"	.30 m
Fuel capacity	30 gal	118 L
Max people capacity	6	6
Max people weight	TBD	TBD

Storage Dimensions

Storage length*	21'10"	5.94 m
Beam on trailer	8'6"	2.59 m

Specification dimensions are approximations and subject to variance.

ENGINE PERFORMANCE DATA

80 HP Mercury 4-Stroke (Std)

DATA NOT YET AVAILABLE

100 HP Mercury 4-Stroke

DATA NOT YET AVAILABLE

115 HP Mercury 4-Stroke

DATA NOT YET AVAILABLE

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cockpit

- Self-Bailing Cockpit
- Bow Anchor Locker and Storage Compartments
- Flip/Flop Double Wide Captains Seat w/Cooler Beneath
- Aft Non-Skid Casting Platform w/Center Livewell
- Forward Facing Jump Seats w/Storage Beneath

Engine

- BLANK (no engine) — Mercury pre-rigged

Engine Compartment

- 500-gph Bilge Pump
- 30 Gallon Built-In Fuel Tank

Helm

- Center Console w/Storage for 6 Rods and a Large Storage Compartment
- Navigation Ready Helm Station w/Stainless Steel Steering Wheel
- Binnacle Mounted Engine Controls w/Trim & Tilt Switch in Handle

Hull and Deck

- Patent Pending M-Hull™ Design
- Arctic White Hull & Deck w/CC6 badging
- Automotive Style Ride and Handling
- Bow & Transom Eyes
- Large Non-Skid Bow Casting Platform w/Pre-Wired Trolling Motor Landing
- Mooring Cleats (6)
- Safety Handholds
- Port & Starboard Swim Boards w/Ladder

OPTIONS

Color Selection

- Solid Hull: Hullside in White, Red, Blue, Black or Glacier Green

Engine

- BLANK (no engine) — Mercury pre-rigged
- 90 HP Mercury 4-Stroke EFI

Graphic Options

- Base

Packages

- Stainless Steel Upgrade Package
- F6 Fish Package (Includes: Aft Livewell, Freeboard Nests W/Rod Holders, 6 Console Rod Holders, Bow Fishing Seat, Motorguide Trolling Motor)

Seating & Upholstery

- Full Filler Cushion Pack (includes Deck Rails)

Canvas Options

- Bimini Top w/Boot
- Console Cover

Sound System

- Stereo AM/FM - MP3 Player Ready

Entertaining Options

- Cockpit Table

Additional Options

- Digital Depth Indicator
- Hydraulic Steering
- Sports Arch

OVERNIGHTERS



ROOMY | Ample cockpit space for day boating and the cabin space to enjoy overnighting

MODERN | Creative styling, floor plans and features

VALUE | More boat for your money: Interior Space, Storage & Amenities

642 CUDDY



E

NA

AP

LA



LIFE
TIME



7


LAYOUT VIEW

Features

- A** Integral swim step w/ladder
- B** Aft bench seat
- C** Bucket seats
- D** Walk-through windshield

Storage Areas

- 1** Under center & starboard bench seat bottoms
- 2** Hull sides
- 3** In-floor ski locker
- 4** Lockable small item tray
- 5** Bow cabin



642 CUDDY

SPECIFICATIONS

	US	CE
Length overall (LOA)	21'4"	6.53 m
Hull Length		5.75 m
Beam	8'0"	2.43 m
Deadrise	19°	19°
Approx weight w/standard engine	3,084 lbs	1,399 kg
Draft max	3'2"	.97 m
Bridge clearance max ¹	4'9"	1.45 m
Fuel capacity	33 gal	125 L
Max people capacity	7	7
Max people weight	1,157 lbs	525 kg

Specification dimensions are approximations and subject to variance.

¹ Water line to top of optional watersports tower.

² Outboard in down position & swung to side and trailer tongue swung to side.

³ Tongue jack lowered all the way down.

ENGINE PERFORMANCE DATA

135 HP MerCruiser (3.0L) MPI A1 ECT (Std)

DATA NOT YET AVAILABLE

Engine Availability Europe

180 MerCruiser MPI A1 (4.3L)

DATA NOT YET AVAILABLE

Engine Availability Europe

180 MerCruiser MPI A1 (4.3L) ECT

DATA NOT YET AVAILABLE

Engine Availability Europe

200 Mercruiser MPI A1 (4.5L)

DATA NOT YET AVAILABLE

Engine Availability Europe

200 Mercruiser MPI A1 (4.5L) ECT

DATA NOT YET AVAILABLE

Engine Availability Europe

QSD2.0 (170HP) Alpha Diesel Stern Drive

DATA NOT YET AVAILABLE

Engine Availability Europe

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cabin

- Fiberglass Ceiling Liner in Cabin
- Skylight (2)
- Sleeping Capacity of Two (2)
- Molded Cabin

Cockpit

- Bimini Top Storage
- Grab Handles
- In-floor Storage
- Port Side Forward-Facing or Rear-Facing Flip-Flop Lounge
- Rear Lounge Seat with Sunpad
- Starboard Bucket Helm Seat with Flip-up Bolster
- Underseat Port Side Lounge Storage
- Standard Creme & Champagne Silvertex Upholstery

Engine

- 135 HP MerCruiser (3.0L) MPI A1 ECT (Std) Europe Only
- 135 HP MerCruiser (3.0L) TKS C/A1 WPS (Std) North America Only

Engine Compartment

- 12V Blower
- Bilge Pump

Helm

- 12V Horn
- Custom-Molded Dash Panels w/Non-Glare Brow
- Instrumentation: Fuel Gauge, Oil Pressure Gauge, Speedometer, Tachometer, Temperature Gauge, Trim Gauge, Voltmeter
- Padded Steering Wheel
- Power Steering
- Rack & Pinion Steering
- Side-mounted Engine Controls w/Trim & Tilt Switch in Handle
- Tilt Steering
- Waterproof 120-watt AM/FM Stereo w/Audio Input for iPod & Mp3

Hull and Deck

- 12V Navigation Lights
- Bow & Transom Eyes (3)
- Fuel Fill w/Integrated Vent
- Integral Transom Platform w/Ladder
- Stainless Steel Tow Ring
- Vinyl Gunwale Molding
- Wraparound Windshield w/Safety Glass & Opening Center Section

Stainless Steel Package

- Stainless Steel Trim Upgrades (Cup Holders, Fuel Fill, Thru Hulls, Vent Grate, Rub Rail, Latches)

OPTIONS

Color Selection

- Basic: White, Red, Blue, Black Grey or Taupe Hullside

Graphic Options

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Engine

- 135 MerCruiser MPI A1 (3.0L) WPS ECT (E Only)
- 180 MerCruiser MPI A1 (4.3L) (E Only)
- 180 MerCruiser MPI A1 (4.3L) ECT (E Only)
- 200 MerCruiser MPI A1 (4.5L) (E Only)
- 200 MerCruiser MPI A1 (4.5L) ECT (E Only)
- QSD2.0 (170HP) Alpha Diesel Stern Drive (E Only)

Seating & Upholstery

- Bucket Seat Upgrade (Helm Bucket Seating)
- Foredeck Sunpad

Canvas Options

- Bimini Top w/ Boot
- Canvas Package for Bimini Top (Requires Bimini Top w/ Boot)
- Cockpit Cover

Flooring Covering Options

- Cockpit Carpet Runners

Entertaining Options

- Cockpit Table
- Teak Cockpit Table

Convenience Options

- Preferred Equipment Package w/Teak Cockpit Table, Porta Potti, Sisal Removable Carpet Runners

Additional Options

- Digital Depth Indicator
- Fire Suppression System
- Bottom Paint
- Secure Eye
- Cockpit Teak Floor
- Teak on Swim Platform Extension
- Waterline Tape Colour Change Kit
- Windlass

742 CUDDY



E



LIFE
TIME



8


LAYOUT VIEW

Features

- A** Swim platform w/ladder
- B** Walk-thru cockpit entry
- C** Cockpit lounge seating
- D** Entertainment center w/sink
- E** Portside settee
- F** Center-opening windshield

Storage Areas

- 1** Transom storage locker
- 2** Cabin entrance
- 3** Anchor locker



SPECIFICATIONS

	CE
Length overall (LOA)	7.47 m
Hull Length	6.64 m
Beam	2.51 m
Deadrise	22°
Approx weight w/standard engine	1,850 kg
Draft max	.91 m
Bridge clearance	2.09 m
Fuel capacity	196 L
Water capacity	38 L
Max people capacity	8
Max people weight	600 kg

ENGINE PERFORMANCE DATA

250 M MPI/A1 (4.5 L) (Std)

Cruise mph	25.3
WOT mph	36.3
Propellers	19 P 5s 4B (front) 3B (rear)
Range	39 nm
Weight as tested	8,730 lbs

220 HP MerCruiser (4.3L) MPI A1 ECT

Cruise mph	28.6
WOT mph	45.8
Propeller	19 P Black Max
Range	113 nm
Weight as tested	4,266 lbs
Engine Availability	N/A

250 Hp MerCruiser (4.5L) A1

DATA NOT YET AVAILABLE

250 HP MerCruiser (4.5L) MPI A1 ECT

DATA NOT YET AVAILABLE

300 M MPI/B3 (6.2L)

DATA NOT YET AVAILABLE

300 M MPI/B3 (6.2L) ECT

DATA NOT YET AVAILABLE

170 HP Mercury (2.0L) QSD

DATA NOT YET AVAILABLE

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cabin

- Molded Cabin for 2 Persons with 2 Ventilating Port Lights and Expansive Skylights
- Sliding Door with Built-In-Steps
- Standard Chemical Toilet

Cockpit

- Aft Sun Lounge with Reading Folding Position
- Cockpit Entertainment Center w/Sink
- Co-Pilot Seat with Folding Backrest converts to a Meridienne
- Large Self-Bailing Cockpit
- L-Shaped Bench Seating with Storage
- Stereo

Engine

- 250 HP MerCruiser (4.5L) MPI A1

Helm

- Digital Depth Indicator

Hull and Deck

- Open Bow Rail
- Swim Platform Extension

OPTIONS

Engine

- 170 HP Mercury (2.0L) QSD
- 220 HP MerCruiser (4.3L) ECT
- 250 Hp MerCruiser (4.5L) A1
- 250 HP MerCruiser (4.5L) MPI A1 ECT
- 300 HP MerCruiser (6.2 L) MPI B3
- 300 HP MerCruiser (6.2 L) MPI B3 ECT

Graphic Option

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Option Packages

- Preferred Equipment Package (Urethan Basket Weave Carpet Runners, Teak Cockpit Table & Cockpit Cover)

Seating & Upholstery

- Foredeck Sunpad

Canvas Options

- Bimini Top w/ Boot
- Canvas Package for Bimini Top (Requires Bimini Top w/ Boot)

Flooring Covering Options

- Teak Cockpit Upgrade (To Replace Carpet)
- Teak on Swim Platform

Entertaining Options

- Cockpit Entertainment Center Package: Cockpit Fridge, Sink & Alcohol Electric Stove

Additional Options

- Head - Manual Flush (Requires Macerator w/Seacock Interlock)
- Macerator w/Seacock Interlock System (Requires Manual Flush Head Option)
- Hydraulic Trim Tabs
- Bow Thruster
- Windlass - Electric w/Anchor & Chain
- Secure Eye
- Bottom Paint

842 CUDDY




LAYOUT VIEW

Features

- A** Forward berth
- B** Mid-cabin berth & stand-up head
- C** Center opening windshield
- D** Entertainment center
- E** Navigation-ready helm
- F** Multi-position companion seat
- G** Aft lounge
- H** Walk-thru cockpit entry
- I** Swim platform w/ladder

Storage Areas

- 1** Anchor storage
- 2** Berth Storage
- 3** Under-seat storage (3 spots)
- 4** Transom storage locker



842 CUDDY

SPECIFICATIONS

Length overall (LOA)	8.88 m
Beam	2.55 m
Deadrise	21°
Approx weight w/standard engine	3,000 kg
Draft max	TBD
Bridge clearance	TBD
Fuel capacity	246 L
Water capacity	TBD
Max people capacity	8
Max people weight	2,070 kg

ENGINE PERFORMANCE DATA

250 Mercury MPI (4.5 L) BR3 (Std)

DATA NOT YET AVAILABLE

250 Mercury MPI (4.5 L) DTS B3

DATA NOT YET AVAILABLE

300 M MPI/B3 (350 Mag)

DATA NOT YET AVAILABLE

250 Mercury MPI (4.5 L) BR ECT

DATA NOT YET AVAILABLE

250 Mercury MPI (4.5 L) DTS B3 ECT

DATA NOT YET AVAILABLE

300 M MPI/B3 (350 Mag) ECT

DATA NOT YET AVAILABLE

MCM Diesel TDI 3.0-260 DTS B3X

DATA NOT YET AVAILABLE

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cabin

- 220V Outlet—Ground-fault Protected
- AM/FM/CD Stereo w/Speakers (2) &
- MP3 Compatible
- Removable Table
- Window Curtains
- V-berth (Cushioned) w/Storage Below
- Aft Berth

Cockpit

- Beverage Holders
- Courtesy Lights
- Double-wide Helm Seat w/folding Bolster
- Engine Access Hatch w/Electric Gas-Assist struts
- Molded Steps—Access to Foredeck
- Speakers, Weatherproof (2)
- Transom Door
- Transom Storage Locker
- Seating, Aft Bench Converts to Sunpad or Rear Facing Bench Seat
- Bimini Top w/Boot

Engine

- 4.5 L MPI Mercury 250 HP Bravo III

Engine Compartment

- 12V Blower
- Automatic Bilge Pump
- Electric Engine Hatch Lift

Helm

- 12V Accessory Outlet
- Custom-molded Non-glare Dash Panels - Charcoal
- Instrumentation: Fuel Gauge, Oil Pressure gauge, Speedometer, Tachometer, Temperature Gauge, Trim Gauge, Voltmeter
- Tilt Steering
- Power-assisted Rack & Pinion Steering
- Side-mounted Engine Controls w/Trim & Tilt
- CE Option
- Fire Suppression System—Automated w/Manual Pull

Hull and Deck

- 12V Navigation Lights
- Anchor Line Locker
- Anchor Roller
- Stainless Steel Bow & Transom Eyes (3)
- Deck Hatch
- Fuel Fill Deck Fitting w/Integrated Vent
- Water Fill Deck Fitting
- Waste Pump-Out Deck Fitting
- Swim Platform Extended w/Gas Ladder
- Opening Portlights w/Screens
- Self-bailing Flush Fiberglass Cockpit

Floor

- Hull Smoked Acrylic Windows
- Lockable Sliding Entry Door, Stainless
- Steel Bow Rail, Split w/Welded Fittings
- Thru-bolted to Deck

OPTIONS

Engine

- MCM Diesel TDI 3.0-260 DTS B3X
- 250 HP MerCruiser (4.5L) MPI DTS B3
- 250 HP MerCruiser (4.5L) MPI ECT B3
- 250 HP MerCruiser (4.5L) DTS ECT B3
- 300 HP MerCruiser (6.2L) DTS BR3
- 300 HP MerCruiser (6.2L) DTS ECT B3

Graphic Option

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Option Packages

- Preferred Equipment Package (Urethan Basketwave Sisal Design Carpet Runners, Teak Cockpit Table)

Seating & Upholstery

- Foredeck Sunpad

Canvas Options

- Canvas Package for Bimini Top (Requires Bimini Top w/ Boot)
- Camper Canvas Package (Requires Bimini Top w/Boot)
- Fiberglass W.S. Tower w/ Integral Bimini Top

Flooring Covering Options

- Teak Cockpit Upgrade (To Replace Carpet)
- Teak on Swim Platform

Entertaining Options

- Cockpit Entertainment Center Package: Sink w/Water Pressure System, Alcohol Electric Stove & Cockpit Fridge

Additional Options

- Head - -Manual Flush (Requires Macerator w/Seacock Interlock)
- Macerator w/Seacock Interlock System (Requires Manual Flush Head Option)
- Hydraulic Trim Tabs
- Bow Thruster
- Windlass - Electric w/Anchor & Chain
- Bottom Paint

CIERA 8



E



LIFE TIME



8


LAYOUT VIEW

Features

- A** Swim platform w/ladder
- B** Walk-thru cockpit entry
- C** Cockpit lounge seating
- D** Entertainment center w/sink
- E** Portside settee
- F** Center-opening windshield

Storage Areas

- 1** Transom storage locker
- 2** Cabin entrance
- 3** Anchor locker



SPECIFICATIONS

Length overall (LOA)	8.15 m
Hull Length	7.30 m
Beam	2.55 m
Deadrise	18°
Approx weight w/standard engine	2,900 kg
Draft max	.99 m
Bridge clearance w/arch	2.95 m
Fuel capacity	265 L
Water capacity	75.7 L
Waste tank capacity	75.7 L
Max people capacity	8
Max people weight	600 kg

Specification dimensions are approximations and subject to variance.

ENGINE PERFORMANCE DATA

250 M MPI/B3 (4.5 L) (Std)

Cruise mph	25.3
WOT mph	36.3
Propellers	19 P 5s 4B (front) 3B (rear)
Range	39 nm
Weight as tested	8,730 lbs

265 TDI (3.0) (254 PHP) B3X

250 HP MerCruiser (4.5L) MPI B3 DTS

250PHP MerCruiser (4.5L) MPI B3 DTS

250 HP MerCruiser (4.5L) MPI B3 ECT

300 M MPI/DTS B3 (6.2L)

300 M MPI/DTS B3 (6.2L) ECT

DATA NOT YET AVAILABLE

This information is provided for comparison purposes and is intended to show relative performance between different boats and engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of boat, actual load, engine and propeller. Engine performance data is based on boat in cruise load weight condition. Cruise load weight condition consists of boat with typical options, full tanks, all safety gear, two passengers and typical storage. Cruising range based on cruise speed at cruise load with 10% fuel reserve at rated range.

STANDARD FEATURES

Cabin

- 220V Outlet - Ground-fault Protected AM/FM/CD Stereo w/Speakers (2) & MP3 Compatible
- Aft Berth
- Removable Folding Table
- V-berth (Cushioned) w/Storage Below
- Window Curtains

Canvas

- Cockpit Bimini Top
- Cockpit Cover

Cockpit

- Beverage Holders
- Courtesy Lights
- Double-wide Helm Seat w/Bolster & full length and width underseat storage
- Electric Engine Access Hatch w/Gas-Assist Springs
- Molded Sliding Cabin Door Steps - Access to Foredeck
- Non skid surface
- Port Lounge Storage with Cupholders

- Seating, Aft Bench Converts to rear facing seat and Sunpad & underseat storage
- Single floor/no step self bailing
- Speakers, Weatherproof (2)
- Transom Storage Locker
- Bimini Top w/Boot

Electrical Systems

- 12V Lighting
- 220V/50 HZ Shore Power w/50' Cord
- Battery Charger/Converter
- Distribution Panel (220V) w/Magnetic Circuit Breakers
- Easy Access Dual Battery Switch

Engine

- 250 HP MerCruiser (4.5L) MPI B3

Engine Compartment

- 12V Blower
- Automatic Bilge Pump with Manual Pump Access in Cockpit

Galley

- Dual-Voltage Refrigerator
- Microwave

- Stainless Steel Sink w/Faucet
- Stove, Alcohol/Electric (Single-burner)
- Trash Receptacle

Head

- Full Molded Fiberglass Liner
- Marine Head w/Holding Tank & Deck & Folding Seat Board
- Mirror
- Opening Portlight w/Screen & Privacy Curtain
- Pump-Out
- Shower & Holder
- Sink w/Faucet & Vanity
- Teak countertop
- Towel Rack

Helm

- 2 x 12V Accessory Outlet
- CE Option
- Custom-molded Non-glare Dash Panels
- Electric/Hydraulic Trim Tabs
- Fire Suppression System - Automated w/Manual Pull
- Instrumentation: Fuel Gauge, Oil Pressure Gauge, Speedometer, Tachometer, Temperature Gauge, Trim Gauge, Voltmeter
- Power-assisted Rack & Pinion Steering
- Side-mounted Engine Controls w/Trim & Tilt
- Tilt Steering

Hull and Deck

- 12V Navigation Lights
- Anchor Line Locker
- Anchor Roller
- Arctic White Hull With Hullside & Waterline Tape Color Choice
- Bottom Color Matching Swim Platform Extended w/4 Steps Ladder & Built-in Handle
- Deck Hatch
- Fuel Fill Deck Fitting w/Integrated Vent
- Hull & Deck Smoked Acrylic Windows
- Lockable Sliding Entry Door, Stainless Steel Bow Rail, Split w/Welded Fittings Thru-bolted to Deck
- Opening Portlights w/Screens
- Self-bailing Fiberglass Cockpit Floor
- Stainless Steel Bow & Transom Eyes (3)
- Vinyl Gunwale Molding
- Waste Pump-Out Deck Fitting
- Water Fill Deck Fitting
- Windshield w/Tempered Safety Glass
- Windshield Wiper (Starboard)

Water System

- Pressure Water System w/12V Pump
- Water Heater, 120V (6-gallon) w/Exchanger
- Water Inlet, Dockside
- Water Tank (20-gallon)

OPTIONS

Engine

- 265 TDI (3.0) (254 PHP) B3X
- 250 HP MerCruiser (4.5L) MPI B3 DTS
- 250PHP MerCruiser (4.5L) MPI B3 DTS
- 250 HP MerCruiser (4.5L) MPI B3 ECT
- 300 HP MerCruiser (350 MAG) MPI B3
- 300PHP MerCruiser (350 MAG) MPI B3 DTS

Graphic Option

- Boot Stripe: Grey, Orange, Turquoise, Red, or Blue

Option Packages

- Preferred Equipment Package (Urethan Basket Weave Carpet Runners, Teak Cockpit Table)

Seating & Upholstery

- Foredeck Sunpad

Canvas Options

- Canvas Package for Bimini Top (Requires Bimini Top w/ Boot)
- Camper Canvas Package (Requires Bimini Top w/Boot)
- Fiberglass Sport Spoiler w/Integral Bimini Top

Flooring Covering Options

- Teak Cockpit Upgrade (To Replace Carpet)
- Teak on Swim Platform

Entertaining Options

- Cockpit Galley w/Sink & Stove

Additional Options

- Bow Thruster
- Windless - Electric w/Anchor & Chain
- Gray Water Holding Tank
- 220v/50Hz 3.5 Kw Gas Generator
- 220v Air Conditioning pkg w/Reverse Cycle Heat
- Bottom Paint
- TV/DVD in Cabin

BAYLINER LIMITED WARRANTY

The Bayliner Marine Division of Brunswick Family Boat Co. Inc., (“Bayliner”) provides the following Limited Warranty to the original retail owner of its 2014 Bayliner Element, Deck Boat, and Bowrider model boats (“Boat”), if purchased from an authorized dealer and operated under normal, noncommercial use, subject to the remedies, exclusions, and limitations set out in this Limited Warranty.

LIMITED LIFETIME STRUCTURAL HULL WARRANTY TO ORIGINAL RETAIL OWNER

Bayliner will repair or replace, at its sole discretion, any Structural Hull Defect, as defined below, which is reported during the period of ownership of the original retail owner. For purposes of this Limited Warranty: 1) The “Hull” shall mean the single fiberglass molded shell and integral structure within that shell, including stringers, floorboards and related structural reinforcements, all of which are below the hull flange; and 2) a “Structural Hull Defect” shall mean a substantial defect in materials or workmanship in the Boat’s Hull which causes the Boat to be unfit or unsafe for general use as a pleasure craft under normal operating conditions.

LIMITED TEN-YEAR STRUCTURAL HULL WARRANTY TO SECOND RETAIL OWNER

Upon the second owner’s receipt of a transfer confirmation notice from Bayliner, Bayliner will repair or replace, at its sole discretion, any Structural Hull Defect, as defined above, which is reported within ten (10) years of the Boat’s date of delivery to the original retail owner.

LIMITED FIVE-YEAR STRUCTURAL DECK WARRANTY

Bayliner will repair or replace, at its sole discretion, any Structural Deck Defect, as defined below, which is reported within five (5) years of the Boat’s date of delivery to the original retail owner. For purposes of this Limited Warranty: 1) The “Deck” shall mean the molded fiberglass shell and integral fiberglass structural components above the hull flange (i.e. gunwale); and 2) a “Structural Deck Defect” shall mean a substantial defect in fiberglass materials or workmanship in the Boat’s Deck which causes the Boat to be unfit or unsafe for general use as a pleasure craft under normal operating conditions.

LIMITED ONE-YEAR PARTS AND COMPONENTS WARRANTY

Bayliner will repair or replace, at its sole discretion, any part or component found to be defective in factory materials or workmanship, which is not covered, limited, or excluded by any provision of this Bayliner Runabout, Cuddy, & Deck Boat Limited Warranty, if reported within one (1) year of the Boat’s date of delivery to the original retail owner.

BAYLINER LIMITED WARRANTY

EXCLUSIONS

Except as expressly set out herein, all warranties provided by the manufacturers and distributors of components, equipment, and parts ("Component Manufacturer") on the Boat are hereby assigned to the owner, to the extent permitted by the Component Manufacturer, as the owner's sole and exclusive remedy with respect to such items. Any assistance by Bayliner and/or its authorized dealers with regard to component warranties shall not constitute an adoption of the responsibilities of a component manufacturer with regard to its component warranties. This Limited Warranty does not apply to any Boat which has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this Limited Warranty. This Limited Warranty also does not apply to the following items:

1. Engines, drive trains, controls, props, batteries; other equipment or accessories that carry their own individual warranties; or equipment and accessories which are not installed by Bayliner;
2. Windshield damage or breakage;
3. Rainwater leakage, including rainwater leakage through windshields and convertible tops;
4. Damage or deterioration of cosmetic surface finishes, including cracking, crazing, discoloration, air voids, fading or oxidation of gel coat, wood finishes (varnishes, stains and paints), fabrics, vinyls, plastics, trim tape, plated or painted metal, stainless steel finishes, anti-fouling bottom paint, or zinc anodes;
5. Hull blisters that form below the waterline;
6. Any Boat which has been altered or modified from Bayliner factory specifications;
7. Any Boat initially sold at retail by a party other than an authorized Bayliner dealer;
8. Any Boat which has been used for racing or military purposes, or which has been overpowered according to Bayliner factory specifications for such Boat;
9. Any Boat used for Commercial Purposes. Commercial Purposes, as used herein, includes but is not limited to any forprofit uses;
10. Any failure or defect caused by an accident; product abuse or misuse; improper rigging and installation by an owner or any other person or entity not being an authorized dealer; failure of the owner to use, maintain, or store the Boat as specified in Bayliner's owner's manual(s); and any other failure to provide reasonable care and maintenance;
11. Any transportation, haul out, or other expenses incurred in returning the Boat to the selling dealer or to the Bayliner factory for warranty service;
12. Any representation or implication relating to speed, range, fuel consumption or estimated performance characteristics;
13. Damage, shrinkage, or deterioration of carpet, upholstery and exterior canvas tops, enclosures, and weather covers (including rainwater leakage);
14. Any failure or defect caused by an act of nature resulting in damage, cost, or expense;
15. Any failure or defect arising from a previous repair made by a non-authorized service provider;
16. Any item exceeding the expressed coverage limits specified in any Bayliner Limited Warranty; and
17. Any defect or repair requiring redesign of the Boat, except pursuant to the recall provisions of the United States Federal Boat Safety Act of 1971 or the recall laws of any other foreign jurisdiction.

SOLE REMEDY

The remedy of repair or replacement of parts that are found to be defective in factory materials or workmanship covered by this limited warranty shall constitute the owner's sole and exclusive remedy against Bayliner for any claims whatsoever of economic loss resulting from product failure. In keeping with environmental policies and practices, Bayliner reserves the right to utilize reconditioned, refurbished, repaired or remanufactured products or parts in the warranty repair or replacement process. Such products and parts will be comparable in function and performance to an original product or part and warranted for the remainder of the original warranty period. In no event shall any repair or replacement under this Limited Warranty exceed the fair market value of the product as of the date of the owner's claim. Acceptance of any product returned or any refund provided by Bayliner shall not be deemed an admission that the product is defective. Products that are replaced become the property of Bayliner.

OTHER LIMITATIONS

Except as set forth herein or on any other written limited warranties by Bayliner, there are no other warranties either expressed or implied provided by Bayliner on this boat. All other warranties, expressed or implied, including implied warranties of fitness and merchantability, are expressly excluded. Bayliner further disclaims any liability for economic loss arising from claims of product failure, negligence, defective design, manufacturing defect, failure to warn and/or instruct, lack of seaworthiness, and any other theory of liability not expressly covered under the terms of this limited warranty.

Any implied warranty of merchantability or fitness for a particular purpose is disclaimed. To the extent the implied warranty cannot be disclaimed, it is limited to the shorter of one year from the date of delivery to the first retail owner or the duration of the respective limited warranties stated herein. To the extent allowed by law neither Bayliner, nor the selling dealer shall have any responsibility for loss of use of the boat, loss of time, inconvenience, commercial loss or consequential damages. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not be applicable. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not be applicable. This warranty gives the owner specific legal rights, and the owner may also have other rights which vary from state to state or country to country.

Retail customers in the European Economic Area (EEA) may have legal rights under applicable national legislation regarding the sale of consumer goods which are not affected by this limited warranty. The retail customer's legal rights under any applicable national legislation regarding the sale of consumer goods shall not be affected. Information on authorized EEA dealers and EEA Privacy may be obtained at www.bayliner.com.

STATUTE OF LIMITATIONS

Any action for rescission or revocation against Bayliner shall be barred unless it is commenced within one (1) year from the date of accrual of such cause of action. This provision does not grant any consumer a right of rescission or revocation against Bayliner, where such right does not otherwise exist under applicable law. Some states may not allow the applicable statute of limitations for rescission or revocation to be reduced, so this provision may not apply to each retail owner.

BAYLINER LIMITED WARRANTY

OWNER'S OBLIGATIONS

Contact the selling Bayliner dealer to set up an appointment for warranty repairs. All warranty work or repairs must be referred to the selling dealer for authorization as a condition precedent to Limited Warranty coverage. Bayliner must receive written notice of any remaining warranty claims from the owner prior to the expiration of the owner's Limited Warranty, and the owner must allow Bayliner an opportunity to resolve the matter. The Owner must notify Bayliner of any Boat being repaired by an authorized Bayliner dealer which has been at the dealership for fifteen (15) days, or of any claimed defect which was not corrected after one repair attempt.

REGISTRATION & WARRANTY TRANSFER POLICY

Please submit the product registration card within 30 days of delivery of the Boat in order to activate warranty coverage. Information about our Privacy Policies can be obtained at www.bayliner.com. This Limited Warranty extends only to the first retail purchaser. The unexpired terms of the Limited Five-Year Structural Deck Warranty and the Limited One-Year Parts and Components Warranty provisions may be transferred to a subsequent owner upon the new owner's request and the Limited Ten-Year Structural Hull Warranty to Second Retail Owner may be transferred to a second owner, except this limited warranty will not transfer to any subsequent owner of a Boat which has been salvaged or resold after declaration of a total loss or a constructive total loss, i.e., the cost of repair exceeds the value of the Boat. Bayliner reserves the right to reject any warranty transfer request for a Boat that has been damaged, neglected, or otherwise previously excluded from its Limited Warranty. The new owner can submit written request to Bayliner within thirty (30) days of the purchase of the Boat, accompanied by payment of a transfer fee to Bayliner in the amount of \$100. The transferred Limited Warranty will become effective when the second owner receives a transfer confirmation notice from Bayliner.

MODIFICATIONS & SEVERABILITY

The terms and conditions contained herein, as well as those of any documents prepared in conjunction with the sale of this vessel may not be modified, altered or waived by any action, inaction, or representations, whether oral or in writing, except upon the expressed written authority of a management level employee of Bayliner. The invalidity or unenforceability of any one or more of the provisions herein shall not affect the validity and enforceability of the other provisions.

For further information regarding this Limited Warranty, please contact Bayliner at:

Bayliner Marine
17825 59th Ave NE
Arlington, WA 98223
Phone: (360) 435-5571

BAYLINER LIMITED WARRANTY FOR AUSTRALIA

Brunswick Family Boat Co. Inc., trading as Bayliner Marine of One North Field Court, Lake Forest, IL 60045 USA, ("Bayliner") provides the following Limited Warranty to the original retail owner of its 2014 Bayliner Element, Deck Boat, and Bowrider model boats ("Boat"), if purchased from an authorized dealer and operated under normal, noncommercial use, subject to the remedies, exclusions, and limitations set out in this Limited Warranty.

LIMITED LIFETIME STRUCTURAL HULL WARRANTY TO ORIGINAL RETAIL OWNER

Bayliner will repair or replace, at its sole discretion, any Structural Hull Defect, as defined below, which is reported during the period of ownership by the original retail owner. For purposes of this Limited Warranty: 1) The "Hull" shall mean the single fiberglass molded shell and integral structure within that shell, including stringers, floorboards and related structural reinforcements, all of which are below the hull flange; and 2) a "Structural Hull Defect" shall mean a substantial defect in materials or workmanship in the Boat's Hull which causes the Boat to be unfit or unsafe for general use as a pleasure craft under normal operating conditions.

LIMITED TEN-YEAR STRUCTURAL HULL WARRANTY TO SECOND RETAIL OWNER

Upon the second owner's receipt of a transfer confirmation notice from Bayliner, Bayliner will repair or replace, at its sole discretion, any Structural Hull Defect, as defined above, which is reported within ten (10) years of the Boat's date of delivery to the original retail owner.

LIMITED FIVE-YEAR STRUCTURAL DECK WARRANTY

Bayliner will repair or replace, at its sole discretion, any Structural Deck Defect, as defined below, which is reported within five (5) years of the Boat's date of delivery to the original retail owner. For purposes of this Limited Warranty: 1) The "Deck" shall mean the molded fiberglass shell and integral fiberglass structural components above the hull flange (i.e. gunwale); and 2) a "Structural Deck Defect" shall mean a substantial defect in fiberglass materials or workmanship in the Boat's Deck which causes the Boat to be unfit or unsafe for general use as a pleasure craft under normal operating conditions.

LIMITED ONE-YEAR PARTS AND COMPONENTS WARRANTY

Bayliner will repair or replace, at its sole discretion, any part or component found to be defective in factory materials or workmanship, which is not covered, limited, or excluded by any provision of this Bayliner Element, Deck Boat, and Bowrider Limited Warranty, if reported within one (1) year of the Boat's date of delivery to the original retail owner.

The benefits given to a consumer by this Limited Warranty are in addition to other rights and remedies of the consumer under a law in relation to the goods and services to which the warranty relates.

BAYLINER LIMITED WARRANTY FOR AUSTRALIA

EXCLUSIONS

This Limited Warranty does not apply to any Boat which has been salvaged or declared a total loss or a constructive total loss for any reasons not covered in this Limited Warranty. This Limited Warranty also does not apply to the following items:

1. Engines, drive trains, controls, props, batteries; other equipment or accessories that carry their own individual warranties; or equipment and accessories which are not installed by Bayliner;
2. Windshield damage or breakage;
3. Rainwater leakage, including rainwater leakage through windshields and convertible tops;
4. Damage or deterioration of cosmetic surface finishes, including cracking, crazing, discoloration, air voids, fading or oxidation of gel coat, wood finishes (varnishes, stains and paints), fabrics, vinyls, plastics, trim tape, plated or painted metal, stainless steel finishes, anti-fouling bottom paint, or zinc anodes;
5. Hull blisters that form below the waterline;
6. Any Boat which has been altered or modified from Bayliner factory specifications;
7. Any Boat initially sold at retail by a party other than an authorized Bayliner dealer;
8. Any Boat which has been used for racing or military purposes, or which has been overpowered according to Bayliner factory specifications for such Boat;
9. Any Boat used for Commercial Purposes. Commercial Purposes, as used herein, includes but is not limited to any forprofit uses;
10. Any failure or defect caused by an accident; product abuse or misuse; improper rigging and installation by an owner or any other person or entity not being an authorized dealer; failure of the owner to use, maintain, or store the Boat as specified in Bayliner's owner's manual(s); and any other failure to provide reasonable care and maintenance;
11. Any transportation, haul out, or other expenses incurred in returning the Boat to the selling dealer or to the Bayliner factory for warranty service;
12. Any representation or implication relating to speed, range, fuel consumption or estimated performance characteristics;
13. Damage, shrinkage, or deterioration of carpet, upholstery and exterior canvas tops, enclosures, and weather covers (including rainwater leakage);
14. Any failure or defect caused by an act of nature resulting in damage, cost, or expense;
15. Any failure or defect arising from a previous repair made by a non-authorized service provider;
16. Any item exceeding the expressed coverage limits specified in any Bayliner Limited Warranty; and
17. Any defect or repair requiring redesign of the Boat, except pursuant to the recall provisions of the United States Federal Boat Safety Act of 1971 or the recall laws of any other foreign jurisdiction.

SOLE REMEDY UNDER THIS LIMITED WARRANTY

The remedy of repair or replacement of parts that are found to be defective in factory materials or workmanship covered by this limited warranty shall constitute the owner's sole and exclusive remedy against Bayliner under this limited warranty for any claims whatsoever of economic loss resulting from product failure. In keeping with environmental policies and practices, Bayliner reserves the right to utilize reconditioned, refurbished, repaired or remanufactured products or parts in the warranty repair or replacement process. Such products and parts will be comparable in function and performance to an original product or part and warranted for the remainder of the original warranty period. In no event shall any repair or replacement under this Limited Warranty exceed the fair market value of the product as of the date of the owner's claim. Acceptance of any product returned or any refund provided by Bayliner shall not be deemed an admission that the product is defective. Products that are replaced become the property of Bayliner.

OTHER LIMITATIONS

Except as set forth herein or on any other written limited warranties by Bayliner and except for the guarantees and other rights and remedies that a consumer may have under a law in relation to which the boat or its components relates:

1. There are no other warranties either expressed or implied provided by Bayliner on this boat. All other warranties, expressed or implied, including implied warranties of fitness and merchantability, are expressly excluded;
2. To the extent allowed by law, Bayliner further disclaims any liability for economic loss arising from claims of product failure, negligence, defective design, manufacturing defect, failure to warn and/or instruct, lack of seaworthiness and any other theory of liability not expressly covered under the terms of this limited warranty;
3. Any implied warranty of merchantability or fitness for a particular purpose is disclaimed; and
4. To the extent allowed by law neither Bayliner, nor the selling dealer shall have any responsibility for loss of use of the boat, loss of time, inconvenience, commercial loss or consequential damages.

WHAT OWNER MUST DO TO CLAIM THIS LIMITED WARRANTY

Owner must contact an authorized Bayliner dealer at its trading address to report the defect and set up an appointment for an inspection of the Boat and for warranty repairs. A list of authorized Bayliner dealers and their contact details is available at www.bayliner.com.

The dealer will advise the owner of the location where the inspection and any repairs will be carried out. The owner is responsible for delivering the Boat to that location.

The owner must also:

- Comply with all reasonable directions given by the authorized dealer in connection with the warranty claim;
- Refer all warranty work or repairs to the authorized dealer for authorization as a condition precedent to Limited Warranty coverage;
- Prior to the expiration of the Limited Warranty give Bayliner written notice of any remaining warranty claims;
- Allow Bayliner an opportunity to resolve any warranty claim; and
- Notify Bayliner of any Boat being repaired by an authorized Bayliner dealer which has been at the dealership for fifteen (15) days, or of any claimed defect which was not corrected after one repair attempt.

BAYLINER LIMITED WARRANTY FOR AUSTRALIA

EXPENSE OF CLAIMING THIS LIMITED WARRANTY

This Limited Warranty does not cover any expenses that you may incur claiming the warranty.

REGISTRATION & WARRANTY TRANSFER POLICY

This Limited Warranty is conditional upon the first owner activating the Limited Warranty coverage and, where applicable, upon Bayliner accepting the transfer to any subsequent owner or owners of any unexpired terms of the warranty provisions that are capable of being transferred in accordance with the terms and conditions of this Limited Warranty. To activate the Limited Warranty coverage, either the dealer must register the sale of the new Boat with Bayliner or the first owner must submit the product registration card within 30 days of delivery of the Boat. Information about our Privacy Policies can be obtained at www.bayliner.com.

This Limited Warranty extends only to the first retail purchaser. The unexpired terms of the and the provisions may be transferred to a subsequent owner upon the new owner's request and the may be transferred to a second owner, except this limited warranty will not transfer to any subsequent owner of a Boat which has been salvaged or resold after declaration of a total loss or a constructive total loss, i.e., the cost of repair exceeds the value of the Boat. Bayliner reserves the right to reject any warranty transfer request for a Boat that has been damaged, neglected, or otherwise previously excluded from its Limited Warranty. The new owner can submit written request to Bayliner within thirty (30) days of the purchase of the Boat, accompanied by payment of a transfer fee to Bayliner in the amount of \$100. The transferred Limited Warranty will become effective when the second owner receives a transfer confirmation notice from Bayliner.

MODIFICATIONS & SEVERABILITY

The terms and conditions contained herein, as well as those of any documents prepared in conjunction with the sale of this vessel may not be modified, altered or waived by any action, inaction, or representations, whether oral or in writing, except upon the expressed written authority of a management level employee of Bayliner. The invalidity or unenforceability of any one or more of the provisions herein shall not affect the validity and enforceability of the other provisions.

WARRANTIES UNDER AUSTRALIAN CONSUMER LAW

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

For further information regarding this Limited Warranty, please contact Bayliner at:

Bayliner Marine
17825 59th Ave NE
Arlington, WA 98223
Phone: + 1 360 435-5571
Email: boathelp@usmboats.com

NOTES

All information presented in the product guide is based on data available at the time of posting and is subject to change without notice. This material is confidential and not approved for use in any advertising. It is intended for use by company and dealership employees for sales training purposes only. It is not to be disseminated to or reviewed by customers.

EXPERIENCE THE EVOLUTION™

BAYLINER®

Bayliner Boats
800 S Gay St
Suite 1200
Knoxville, TN 37929

Information contained within this publication is believed to be correct at time of printing. Note: Not all accessories shown in pictures or described are standard equipment or even available as options. Options are features subject to change without notice. Not all model year boats may contain all the features or meet the specifications described herein. Bayliner reserves the right to change specifications and equipment at any time without notice or obligation.

© 2015 Bayliner Boats

ABYC
Setting Standards for Boat Boating

